

imagePROGRAF PRO-6000

The imagePROGRAF iPF PRO-6000 is a 12-color pigment inkjet printer that combines high productivity with impressive print quality and reliability. Ideal for use in production, for photography and for proofing. The optional second roll unit supports continuous feed or automatic receipt of print output.



- LUCIA PRO pigment inks
 - Larger color space
 - Finer gradations, particularly with dark and black tones
 - Greater scratch resistance of the ink
 - Little bronzing
 - Matt black and photo black directly accessible
 - Chroma Optimizer for brilliant colors and a deeper black
 - Borderless printing
 - Color linearization through built-in densitometer
 - USB, WLAN, and Ethernet connection
 - 3 GB of main memory for large images
 - Extremely stable build
 - Tilted position correction
 - Vacuum-supported paper feeder
 - Printing in 16-bit color depth
 - Wireless PictBridge and Airprint
 - Media Configuration Tool
 - Accounting Manager for determining printing costs
 - Starter set: 2280 ml
 - Built-in 320 GB hard disk drive as standard
 - Max. roll diameter: 170 mm
 - Color-safe in selectable form via Calibration Link
 - "HotSwap" ink tanks
 - Low ancillary costs
 - Complete operation from the start
 - Gigabit Ethernet card
-

Comparison of large-format printers from HP and Epson

Competitor systems from HP

- HP Designjet Z6800 (60")
- Up to 8% slower
- Consumes up to 20% more ink
- High power consumption
- No interim tank system
- Extremely time-consuming and complicated paper loading
- No sheets
- Smaller color space
- Low black density
- Lower resolution
- Streaky print in fast mode
- No Photoshop plug-in
- Poor dimensional accuracy
- Higher power consumption
- Borderless printing not possible
- Media thickness up to 0.56 mm
- Printing at 8-bit color depth only
- Poorer scratch resistance
- Bronzing
- No accounting tool
- Blade not suitable for canvas
- PostScript necessary for PDF printing

Competitor systems from Epson

- Epson SC-P20000 (64")
 - Up to 20% slower
 - Consumes up to 30% more ink
 - Lower black density
 - No interim tank system
 - Small internal memory (256 MB)
 - No internal density measurement for calibration
 - No Calibration Link
 - Multiple systems cannot be adapted to one another in terms of printing results
 - Problems with the automatic paper alignment
 - No Digital Photo Professional plug-in
 - 25% larger footprint
 - No interim tank system
 - Print head can only be replaced by a technician
 - Hard disk drive optional
 - Poorer scratch resistance
 - Printing at 8-bit color depth only
 - Durability of ink after opening: max. 6 months
 - PostScript necessary for PDF printing
 - Starter set: 1100 ml
-